

# WILDLAND 4

850 gallons water with Pump & Roll capability



# WILDLAND 4



## TANK:


850 Gallons water.  
Integrated tank/body construction  
in high-strength polypropylene

## CHASSIS:

International CV Series 515  
Conventional Cab, 4x4. 175" WB,  
60" CA.  
Engine: International® 6.6 V8  
Turbocharged Diesel. Engine:  
• 350 hp @ 2700 RPM.  
• 700 lb. – ft. torque @1600 RPM.  
Transmission: Allison 2750 EVS.  
GVWR 23,000Lbs.  
Tire Size: 255/70R22.5.\*  
Spare Wheel included.  
Heavy duty bumper.

## PUMP:

One of the following:  
1) Engine Pump HALE HPX75-B18:  
15 gpm @ 325 psi / 50 gpm @  
250psi / 135 gpm @ 50 psi  
2) Darley 1 1/2 AGYD  
Diesel (Tier 4 Final).  
120 gpm @ 75 psi / 75 gpm @  
125 psi / 20 gpm @ 145 psi



## BODY AND COMPARTMENTS:

Lightweight integrated  
construction.  
High-strength polypropylene  
1 Fully transverse compartment in  
front of the tank.  
(Max. Weight Capacity: 330Lbs)  
1 Rear compartment.  
Aluminum roll-up doors.  
Enclosed rear mount PTO pump.

## MONITOR, Bumper - Optional:

- Elkhart Brass 8495
- Akron Forestry 3462

In cab remote control.  
Requires HD bumper.

## INTAKES / DISCHARGES:

High flow TIG welded stainless  
steel discharge and suction  
manifolds.

- Rear Discharges:
  - 2 x 1 1/2"\*
  - 1 x 1"\*
  - 1 x 1"\*
- Front Discharges:
  - 1 x 2" – Monitor
  - 1x 1 1/2"\*
- Suction: 2.1/2"
- Tank Fill: 1x 1 1/2"\*

## HOSE REEL:

Hannay Reel INC.  
100ft 1" booster hose  
Located in rear compartment

## LIGHTING:

Emergency and priority lighting.  
Scene lights.  
Transit lighting according to law.  
Lighting protection grilles kit.

## ROOF:

- Hose storage area.
- Roof Ladder Rack.
- Hoist support for spare wheel.



EcoPolyFire® is a building technology using high-strength polypropylene with integrated tanks and body in a monoblock structure. More advanced, heavy-duty and lighter bodies, maximizing the tanks and lockers capacities.



## 25 YEARS WARRANTY



**Flexibility:** EPF® can absorb the energy and dissipate it in the surface, avoiding the tension concentrations which produce failures



**Maintenance:** EcoPolyFire does not need any preventive maintenance during its complete lifecycle



**Density:** Significantly lighter than conventional body systems allowing to increase the payload and therefore the tank capacity



**Compartments:** High flexibility in interior design Maximizes cargo capacity



**Monoblock Concept Design:** It allows the use of 100% bodywork volume



**Recycling:** All components built in EcoPolyFire are 100% recyclable



**High Thermal Resistance**



**Potability:** Tanks made of EcoPolyFire are compatible with the use of drinkable water



**100% Corrosion-free:** The material is fully resistant against corrosion





# Compact Design



## Dimensions:

Length: 272 in

Width: 94.7 in

Height: 101 in

Approach angle: 35°


Departure angle: 33°

Rollover Threshold: 31°

Turning radius: 27 ft

Curb clearance: 27.5 ft

Wall clearance: 31 ft



## Weight:

Empty: 13,600 lbs

Loaded: 21,000 lbs.







## OPTIONS

- HEAVY DUTY FRONT BUMPER
- BUMPER MONITOR: AKRON FORESTRY 3462
- BUMPER MONITOR: ELKHART BRASS BRUSHHAWK 8495
- OFF ROAD DUAL TIRE 255/70R22.5 (6 UNITS) + SPEED CORRECTION DEVICE
- SUPER SINGLE WHEEL PACK - 335/80R20 + BEADLOCKS, FENDER FLARES + SPEED CORRECTION DEVICE
- FRONT WINCH WARN 16T- 12V ELECTRIC
- HOSE BED ON ROOF (INITIAL ATTACK VERSION)
- GROUND SWEEPS TIRE PROTECTION
- GROUND SWEEPS ATTACK (2 NOZZLES UNDERNEATH FRONT BUMPER)
- HOIST FOR SPARE WHEEL
- LIGHTING PROTECTION GUARD KIT
- PIVOTING PANEL IN COMPARTMENT
- SLIDING TRAY IN COMPARTMENT - 15.5IN X 15.5IN
- AUXILIARY GAS TANK - 25 GAL ADD
- FRONT BUMPER ENCLOSED TRAY FOR 30 FEET 1,5 HOSE
- FRONT BUMPER SMALL TRAY FOR 15 FEET 1,5 HOSE
- 1 HOSE BED 1.5" X 200' PRE-CONNECT
- OPTICOM - OPTICOM® INFRARED SYSTEM
- FRONT BUMPER SKID PLATE
- HIGH RISE TIE ROD ASSY (CLEARANCE)
- SECOND REAR STEP
- DRILL-FREE LIGHTBAR CAB MOUNT
- SPARE TIRE REAR MOUNT - NOT COMPATIBLE WITH OPT9 SUPER SINGLE TIRES
- ITURRI COMPRESSED AIR FOAM SYSTEM (CAFS)
- ITURRI CAFS - EXTRA DISCHARGE
- DARLEY FOAM PUMP
- BLACK COLOR SET (ROLL UP DOORS, HANDLES AND REAR STEPS)
- MAXVISION WATER TANK LEVEL DISPLAY WLA280-A00
- LIGHTED FOLDING STEP
- M6 SCENE LIGHT M62SLB BLACK FLANGE - CHANGE
- CAB TASK LIGHT