

WILDLAND 6 Light Rescue



TANK:

310 Gallons water.
15 Gallons foam.

High-strength polypropylene
integrated to the body.

CHASSIS:

FORD 550


Crew Cab, 4x4. 175" WB, 60" CA.
Engine: Duramax 6.6 V8
Turbocharged Diesel. Engine:
• 335 hp @ 2700 RPM.
• 700 lb. – ft. torque @1600 RPM.
Transmission: Allison 2750 EVS.
GVWR 19,500lbs.
Tire Size: 225/70R19.5
Spare Wheel included.
Heavy duty bumper (option)

PUMP:

Darley 1 1/2 AG
PTO driven.
180 GPM @ 150 psi
Pump and Roll.
Pump located under rear
compartment deck.

FOAM PROPORTIONING SYSTEM:

Trident FOAMATE.
Around-The-Pump system.
Class A.



MONITOR, Bumper -

Optional:

- Elkhart Brass 8495
- Akron Forestry 3462

In cab remote control.
Requires HD bumper.

BODY AND COMPARTMENTS:

Lightweight integrated tank
construction.
178 CU FT Comp Space
2 Ton equipment Payload
Compartment Storage: 3 per
side, one rear.
fully customizable.
Aluminum roll-up doors.

INTAKES / DISCHARGES:

High flow TIG welded stainless steel
discharge and suction manifolds.

- Rear Discharges:
 - 1 x 1 1/2"
 - 1 x 1 1/2" Preconnect (option)
 - 1 x 1" – Hose reel
- Front Discharges:
 - 1 x 2" – Monitor
 - 1x 1 1/2"
- Suction: 2"
- Tank Fill: 1x 2 1/2"

Warning Lights:

NFPA compliant Whelen light
package

HOSE REEL:

Electric Hose Reel.
Hannay Reel
100ft 1" booster hose.
Located in rear compartment



EcoPolyFire® is a building technology using high-strength polypropylene with integrated tanks and body in a monoblock structure. More advanced, heavy-duty and lighter bodies, maximizing the tanks and lockers capacities.



25 YEARS WARRANTY



Flexibility: EPF® can absorb the energy and dissipate it in the surface, avoiding the tension concentrations which produce failures



Maintenance: EcoPolyFire does not need any preventive maintenance during its complete lifecycle



Density: Significantly lighter than conventional body systems allowing to increase the payload and therefore the tank capacity



Compartments: High flexibility in interior design
Maximizes cargo capacity



Monoblock Concept Design:
It allows the use of 100% bodywork volume



Recycling: All components built in EcoPolyFire are 100% recyclable



High Thermal Resistance



Potability: Tanks made of EcoPolyFire are compatible with the use of drinkable water



100% Corrosion-free: The material is fully resistant against corrosion





OPTIONS

- HEAVY DUTY FRONT BUMPER
- BUMPER MONITOR: AKRON FORESTRY 3462
- BUMPER MONITOR: ELKHART BRASS BRUSHHAWK 8495
- PRESSURE GOVERNOR - FRC MODEL PBA400
- OFF ROAD DUAL TIRE 255/70R22.5 (6 UNITS)
- SUPER SINGLE TIRES- 335/80R20 WITH BEADLOCKS, FENDER FLARES
- FRONT WINCH WARN 16T- 12V ELECTRIC
- GROUND SWEEPS TIRE PROTECTION
- GROUND SWEEPS ATTACK (2 NOZZLE UNDERNEATH FRONT BUMPER)
- LIGHTING PROTECTION GUARD KIT
- PIVOTING PANEL IN COMPARTMENT
- SLIDING TRAY IN COMPARTMENT - 15.5IN X 15.5IN
- AUXILIARY GAS TANK - 25 GAL EXTRA
- ROOF CONFIGURATION WITH HOSE BED (2X 1.5" PRE-CONNECT HOSE & 2,5" HOSE NO PRE-CONNECT), AND 2 COFFIN COMPARTMENTS
- FRONT BUMPER ENCLOSED TRAY FOR 30 FEET 1,5 HOSE - NOT COMPATIBLE WITH FRONT WINCH. ONLY W/OPTION HEAVY DUTY BUMPER POPT1.
- FRONT BUMPER SMALL TRAY FOR 15 FEET 1,5 HOSE - COMPATIBLE WITH FRONT WINCH AND MONITOR. ONLY W/OPTION HEAVY DUTY BUMPER POPT1.
- OPTICOM - OPTICOM® INFRARED SYSTEM
- 2 SBCA BOSTROM TK400 SEATS + CENTRAL SPACE WITH NO STORAGE COMPARTMENT
- 2 SBCA BOSTROM TK400 SEATS + CENTRAL COMPARTMENT FOR STORAGE
- 3 SBCA BOSTROM TK400 SEATS
- FRONT BUMPER SKID PLATE
- EMBER SEPARATION PACK FOR INTERNATIONAL CV515 CHASSIS
- HIGH RISE TIE ROD ASSY (CLEARANCE)
- SECOND REAR STEP
- DRILL-FREE LIGHTBAR CAB MOUNT
- BELLY PAN - LOWER PUMP COMPARTMENT ENCLOSURE
- FORCED AIR DIESEL HEATER FOR PUMP ENCLOSURE - 13.000 BTU
- SPARE TIRE REAR MOUNT - NOT COMPATIBLE WITH OPT9 SUPER SINGLE TIRES
- ITURRI COMPRESSED AIR FOAM SYSTEM (CAFS)
- ITURRI CAFS - EXTRA DISCHARGE
- HARD HOSE BED WITH COVER - ALUMINUM TREAD PLATE
- DARLEY FOAM PUMP
- BLACK COLOR SET (ROLL UP DOORS, HANDLES AND REAR STEPS)
- MINIPUMPER EXTRA LADDER RACK ON ROOF
- MAXVISION WATER TANK LEVEL DISPLAY WLA280-A00
- LIGHTED FOLDING STEP
- M6 SCENE LIGHT M62SLB BLACK FLANGE - CHANGE
- CAB TASK LIGHT