

WILDLAND mini pumper

Type 1 + Type 3 in one vehicle

Type 1 pumper *

Type 3 wildland



*with selected options in red

 **ITURRI**
Your safety matters

WILDLAND mini pumper



TANK:

600 Gallons water.

15 Gallons foam.

Integrated tank/body construction in high-strength polypropylene

CHASSIS:

INTERNATIONAL CV 515

Crew Cab, 4x4.

Wheelbase: 175"

Engine Duramax 6.6L Turbo-Diesel
V8 / 350 hp @ 2700 RPM

700 lb. ft. torque @1600 RPM

Transmission Allison 2750 EVS.

HD front bumper and brush guard -
Optional

wheel combos- Optional:

- Dual Wheels: 255/70R22.5.
- Single Wheels: 335/80R20

PUMPS:

1) HALE RSD FLEX 1250 GPM

- Split shaft PTO driven
- Rear mount
- Electric Priming System

2) DARLEY 1 1/2 AG - Optional


- PTO driven
- Pump and roll capable

FOAM PROPORTIONING SYSTEM:

Trident FOAMATE.

Around-The-Pump system.

Class A.



PRESSURE GOVERNOR:

FRC - Model: Pump Boss

MONITOR, bumper

Optional:

- Elkhart Brass 8495
- Akron Forestry 3462

In cab remote control.

Requires HD bumper.

BODY AND COMPARTMENTS:

- Lightweight integrated construction.
- Compartment storage: 2 per side, fully customizable.
- Aluminum roll-up doors.
- Enclosed rear pump compartment
- Discharges:
 - 3 x 2 1/2" Rear comp
 - 1x 4" Side comp.
 - 1 x 1"x100 Ft* - Hose reel
 - 1x 1 1/2" bumper discharge
 - 1x 1 1/2" bumper monitor.
- Intakes:
 - 6" NH Suction
 - 2 1/2" valve aux suction.
 - 1x 2 1/2 direct tank fill
 - Trident air Intake relief valve.

INTAKES / DISCHARGES:

High flow TIG welded stainless steel discharge and suction manifolds.

LIGHTING:

NFPA compliant Whelen Emergency lighting package

HOSE REEL:

- Hannay Reel Electric Hose Reel
- 100ft, 1" light booster hose
- Located in rear compartment

ROOF:

- Hose bed area for 1000+ feet of 4" LDH.
- 2 preconnected hose lay areas for 400+ feet of 1 1/2" fire hose
- 2 coffin compartments for hard suction and/or extra equipment.
- *Ladder storage compartment for 12ft" fresno style extension ladder
- *Additional rack to store roof ladder and folding ladder.



EcoPolyFire® is a building technology using high-strength polypropylene with integrated tanks and body in a monoblock structure. More advanced, heavy-duty and lighter bodies, maximizing the tanks and lockers capacities.



25 YEARS WARRANTY



Flexibility: EPF® can absorb the energy and dissipate it in the surface, avoiding the tension concentrations which produce failures



Maintenance: EcoPolyFire does not need any preventive maintenance during its complete lifecycle



Density: Significantly lighter than conventional body systems allowing to increase the payload and therefore the tank capacity



Compartments: High flexibility in interior design Maximizes cargo capacity



Monoblock Concept Design: It allows the use of 100% bodywork volume



Recycling: All components built in EcoPolyFire are 100% recyclable



High Thermal Resistance



Potability: Tanks made of EcoPolyFire are compatible with the use of drinkable water



100% Corrosion-free: The material is fully resistant against corrosion



Compact Design



Dimensions:

Length: 285.0 in

Width: 94 in

Height: 101.3 in

Approach angle: 35°


Departure angle: 33°

Rollover Threshold: 31°

Turning radius: 27 ft

Curb clearance: 27.5 ft

Wall clearance: 31 ft



Weight:

Empty: 14,000 lbs

Loaded: 21,500 lbs.



OPTIONS

- HEAVY DUTY FRONT BUMPER
- AKRON FORESTRY 3462
- ELKHART BRASS BRUSHHAWK 8495
- DARLEY PTO PUMP - PTO 11/2AG (Pump & Roll)
- HALE RSD FLEX 1250GPM - BRONZE version EXTRA COST
- OFF ROAD DUAL TIRE 255/70R22.5 (6 UNITS) + SPEED CORRECTION DEVICE
- SUPER SINGLE WHEEL PACK - 335/80R20 + BEADLOCKS, FENDER FLARES + SPEED CORRECTION DEVICE
- FRONT WINCH WARN 16T- 12V ELECTRIC
- GROUND SWEEPS TIRE PROTECTION
- GROUND SWEEPS ATTACK (2 NOZZLE UNDERNEATH FRONT BUMPER)
- LIGHTING PROTECTION GUARD KIT
- PIVOTING PANEL IN COMPARTMENT
- SLIDING TRAY IN COMPARTMENT - 15.5in x 15.5in
- AUXILIARY GAS TANK - 25 gal add
- FRONT BUMPER ENCLOSED TRAY FOR 30 FEET 1,5 HOSE
- FRONT BUMPER SMALL TRAY FOR 15 FEET 1,5 HOSE
- OPTICOM - Opticom® Infrared System
- 2 SBCA BOSTROM TK400 SEATS + CENTRAL SPACE WITH NO STORAGE COMPARTMENT
- 2 SBCA BOSTROM TK400 SEATS + CENTRAL COMPARTMENT FOR STORAGE
- 3 SBCA BOSTROM TK400 SEATS
- FRONT BUMPER SKID PLATE
- HIGH RISE TIE ROD ASSY (CLEARANCE)
- DRILL-FREE LIGHTBAR CAB MOUNT
- BELLY PAN - LOWER PUMP COMPARTMENT ENCLOSURE
- FORCED AIR DIESEL HEATER FOR PUMP ENCLOSURE - 13.000 BTU
- SPARE TIRE REAR MOUNT
- ITURRI COMPRESSED AIR FOAM SYSTEM (CAFS)
- ITURRI CAFS - EXTRA DISCHARGE
- HARD HOSE BED WITH COVER - ALUMINUM TREAD PLATE
- DARLEY FOAM PUMP
- BLACK COLOR SET (ROLL UP DOORS, HANDLES. STEPS)
- MINIPUMPER EXTRA LADDER RACK ON ROOF
- MAXVISION WATER TANK LEVEL DISPLAY WLA280-A00
- LIGHTED FOLDING STEP
- M6 SCENE LIGHT M62SLB BLACK FLANGE - CHANGE
- CAB TASK LIGHT