WILDLAND 3 Max

500 GPM two stage pump, compact Type 3 Fire engine

Complies with NFPA 1901 initial attack




ITURRI

Your safety matters

WILDLAND 3 Max

ITURRI



TANK:
600 Gallons water.
15 Gallons foam.
Integrated tank/body construction in high-strength polypropylene

CHASSIS:
International CV Series 515 Crew Cab, 4x4. 175" WB, 60" CA.
Engine: International® 6.6 V8 Turbocharged Diesel. Engine:
• 350 hp @ 2700 RPM.
• 700 lb. – ft. torque @1600 RPM.
Transmission: Allison 2750 EVS. GVWR 23.000Lbs.
Tire Size: 255/70R22.5.*
Spare Wheel included.
Heavy duty bumper.

PUMP
Darley JMP 500
Two stage pump
500 GPM@150 PSI
500 PSI max.
PTO driven.
Pump and Roll Capable.
Electric primer.

FOAM PROPORTIONING SYSTEM:
Trident FOAMATE.
Around-The-Pump system.
Class A.

AUXILIARY WILDLAND FIRE PUMP - Optional:
Darley 1 1/2 AGYD
Diesel (Tier 4 Final).

MONITOR, Bumper - Optional:
- Elkhart Brass 8495
- Akron Forestry 3462

In cab remote control.
Requires HD bumper.

BODY AND COMPARTMENTS:
Lightweight tank/ body integrated construction.
Compartment Storage: 3 per side, fully customizable.
Option: Isolated Chainsaw compartment.
Aluminum roll-up doors.
Enclosed rear mount PTO pump.

INTAKES / DISCHARGES:
High flow TIG welded stainless steel discharge and suction manifolds.

Discharges:
2 x 2 ½" rear mount
1x 1 ½" bumper discharge
2 x 1 ½" preconnected
1"x100 feet Hose reel
1x 1 ½" bumper monitor

Intake:
1x4" Valved suction
1x2 ½" direct tank fill

Valves options: Akron, Elkhart Brass.

PRESSURE GOVERNOR:
FRC - Pump Boss Max

LIGHTING and ELECTRICAL:
NFPA compliant Whelen Emergency lighting package
Xantrex inverter charger
Custom fabricated center console

HOSE REEL:
Hannay, Electric .
100ft 1" booster hose.
Located in rear compartment

ROOF:
- Hose bed area for 1000+ feet of 4" LDH.
- 2 preconnected hose lay areas for 400+ feet of 1 ½" fire hose
- Ladder storage compartment for 12ft" Fresno style extension ladder*
- 2 coffin compartments for hard suction and/or extra equipment.

More water

- Innovative design maximizes available space.
- Increased water capacity within the same footprint.
- Greater autonomy and longer on-scene performance.

Maximum efficiency

- Compact and agile design.
- Access to areas larger apparatus cannot reach.
- Faster response times.
- Reduced operating and lifecycle costs.

25 year body warranty

Eco-friendly

- Built with 100% recyclable EcoPolyFire®.
- Corrosion-resistant and maintenance-free.
- Lower fuel consumption.
- Reduced emissions for a sustainable fleet.

Greater versatility

- True multi-mission platform.
- Ideal for wildland, wildland urban interface, rescue, and water supply.
- Reliable performance across any terrain.

TECHNOLOGY

EcoPolyFire

EcoPolyFire® is a building technology using high-strength polypropylene with integrated tanks and body in a monoblock structure. More advanced, heavy-duty and lighter bodies, maximizing the tanks and lockers capacities.

ITURRI
Your safety matters

25 YEARS WARRANTY

Flexibility: EPF® can absorb the energy and dissipate it in the surface, avoiding the tension concentrations which produce failures

Maintenance: EcoPolyFire does not need any preventive maintenance during its complete lifecycle

Density: Significantly lighter than conventional body systems allowing to increase the payload and therefore the tank capacity

Comparments: High flexibility in interior design Maximizes cargo capacity

Monobloc Concept Design: Enables full utilization of the bodywork's internal volume



Recycling: All components built in EcoPolyFire are 100% recyclable

High Thermal Resistance

Potability: tank is suitable for drinkable water; pumps and plumbing may introduce contamination.


100% Corrosion-free: The material is fully resistant against corrosion

Compact Design



Dimensions:

Length: 285.0 in
Width: 96.4 in
Height: 101.3 in
Approach angle: 35º
Departure angle: 33º
Rollover Threshold: 31º
Turning radius: 27 ft
Curb clearance: 27.5 ft
Wall clearance: 31 ft



Weight:

Empty: 13,600 lbs
Loaded: 21,009 lbs.

ITURRI
Your safety matters



OPTIONS

- HEAVY DUTY FRONT BUMPER
- AKRON FORESTRY 3462
- ELKHART BRASS BRUSHHAWK 8495
- AUXILIARY ENGINE PUMP DARLEY 1-1/2 AGE 10YDW - DIESEL
- AUXILIARY ENGINE PUMP HALE HPX75-B18 - GAS
- OFF ROAD DUAL TIRE 255/70R22.5 (6 UNITS) + SPEED CORRECTION DEVICE
- SUPER SINGLE WHEEL PACK - 335/80R20 + BEADLOCKS, FENDER FLARES + SPEED CORRECTION DEVICE
- FRONT WINCH WARN 16T- 12V ELECTRIC
- GROUND SWEEPS TIRE PROTECTION
- GROUND SWEEPS ATTACK (2 NOZZLES UNDERNEATH FRONT BUMPER)
- LIGHTING PROTECTION GUARD KIT
- PIVOTING PANEL IN COMPARTMENT
- SLIDING TRAY IN COMPARTMENT - 15.5IN X 15.5IN
- AUXILIARY GAS TANK - 25 GAL ADD
- FRONT BUMPER ENCLOSED TRAY FOR 30 FEET 1,5 HOSE
- FRONT BUMPER SMALL TRAY FOR 15 FEET 1,5 HOSE
- OPTICOM - OPTICOM® INFRARED SYSTEM
- 2 SBCA BOSTROM TK400 SEATS + CENTRAL SPACE WITH NO STORAGE COMPARTMENT
- 2 SBCA BOSTROM TK400 SEATS + CENTRAL COMPARTMENT FOR STORAGE
- FRONT BUMPER SKID PLATE
- HIGH RISE TIE ROD ASSY (CLEARANCE)
- DRILL-FREE LIGHTBAR CAB MOUNT
- BELLY PAN - LOWER PUMP COMPARTMENT ENCLOSURE
- FORCED AIR DIESEL HEATER FOR PUMP ENCLOSURE - 13.000 BTU
- SPARE TIRE REAR MOUNT
- ITURRI COMPRESSED AIR FOAM SYSTEM (CAFS)
- ITURRI CAFS - EXTRA DISCHARGE
- HARD HOSE BED WITH COVER - ALUMINUM TREAD PLATE
- DARLEY FOAM PUMP
- BLACK COLOR SET (ROLL UP DOORS, HANDLES AND REAR STEPS)
- MAXVISION WATER TANK LEVEL DISPLAY WLA280-A00
- LIGHTED FOLDING STEP
- M6 SCENE LIGHT M62SLB BLACK FLANGE - CHANGE
- CAB TASK LIGHT


ROARING FORK
FIRE RESCUE
CO-RFFX
3401
242
ITURRI
ITURRI
Your safety matters