TACTICAL TENDER 2000

ITURRI

TANK:
2.000 Gallons water.
20 gallons foam - optional
Integrated tank/body construction in high-strength polypropylene


CHASSIS:
FREIGHTLINER 108SD 2027
4x2 - option for 4x4

- Conventional Cab
- Wheelbase: 165"
- Engine: Cummins L9 Diesel, 360 HP. Option: 400 HP
- Transmission: Allison Automatic 3000 EVS
- GVWR: 41,000 lbs
- Rear View Camera System
- Air conditioning

Option: INTERNATIONAL chassis

PUMP
HALE SIDEKICK MBP-1000
1000 GPM@150 PSI
Options: 500/750/1250 gpm
PTO driven. Pump and Roll.
Electric primer.

FOAM PROPORTIONING SYSTEM - Optional
Trident FOAMATE.
Around-The-Pump system.
Class A.



BODY AND COMPARTMENTS:

- Lightweight tank/body integrated construction.
- Compartments:
  - 3 on left side
  - 2 on right side
- Fully customizable.
- Aluminum roll-up doors.
- Internal 2100 gallons Foldatank storage
- Internal hard suction storage

ROOF:
Full length available for storage

INTAKES / DISCHARGES:
High flow TIG welded discharge and suction manifolds.

Discharges:

- 3 x 2 ½" side discharges
- 1 x 1 ½" preconnected - optional
- 1 x 1 ½" bumper discharge - optional

Intakes:

- 1 x 4" valved suction
- 1 x 2 ½" auxiliary suction
- 1 x 2 ½" direct tank fill

Valves: Akron.

MONITOR, Bumper - Optional:

- Elkhart Brass 8495
- Akron Forestry 3462

In cab remote control.
Requires extended bumper.

PRESSURE GOVERNOR:
Included

LIGHTING and ELECTRICAL:
NFPA compliant FRC multiplex sytem + Whelen Cemcom Core for Whelen Lighting package.
Custom fabricated center console

TECHNOLOGY

EcoPolyFire

EcoPolyFire® is a building technology using high-strength polypropylene with integrated tanks and body in a monoblock structure. More advanced, heavy-duty and lighter bodies, maximizing the tanks and lockers capacities.

ITURRI
Your safety matters

25 YEARS WARRANTY

Flexibility: EPF® can absorb the energy and dissipate it in the surface, avoiding the tension concentrations which produce failures

Maintenance: EcoPolyFire does not need any preventive maintenance during its complete lifecycle

Density: Significantly lighter than conventional body systems allowing to increase the payload and therefore the tank capacity

Comparments: High flexibility in interior design Maximizes cargo capacity

Monoblock Concept Design: It allows the use of 100% bodywork volume





Recycling: All components built in EcoPolyFire are 100% recyclable


High Thermal Resistance

Potability: Tanks made of EcoPolyFire are compatible with the use of drinkable water

100% Corrosion-free: The material is fully resistant against corrosion


WHELEN M9EZ SCENE LIGHT
WHELEN M9R WARNING LIGHT
SIDE MARKER LAMPS
DETAILED VIEW OF PANEL BELOW DRIVERS SIDE VIEW
CAB TO AXLE
102,8
OR (8' & 6.8")
114,5
OR (9' & 6.5")
4X4
118.4
OR
(9' & 10.4")
4X2
113.5
OR
(9' & 5.5")
102
OR (8' & 6")
2X WHELEN WARNING LIGHT
2X WHELEN WARNING LIGHT
MASTER INTAKE AND DISCHARGE GAUGES, TEST PORT, AND PRIMER
2X CROSSLAY REMOTE HANDLES AND PRESSURE GAUGES
TANK TO PUMP REMOTE HANDLE
3X 2.5" DISCHARGE WITH REMOTE HANDLES AND PRESSURE GAUGES
WATER AND FOAM LEVELS
2.5" AUXILLARY INTAKE
RPM AND PRESSURE GOVENOR
FOAM CONTROLLER
6" SUCTION INTAKE
MASTER DRAIN
DISCHARGE AND CROSSLAY DRAINS





OPTIONS

- EXTENDED BUMPER 2.5" FRONT DISCHARGE - IF NOT FRONT MONITOR IS SELECTED
- CHANGE TO INTERNATIONAL CHASSIS HV507/HV607 - SINGLE CAB
- CHANGE TO 400 HP ENGINE
- FL 4X4 EZ TRAC + EXTENDED WARRANTY
- FL 108SD CHANGE TO 4X4
- CREW CAB OPTION
- FOAM TANK (20 GALLONS) + CLASS A AROUND THE PUMP FOAM PROPORTIONER
- 1 OFFICER SCBA BOSTROM SEAT
- EXTENDED FRONT BUMPER +20" (OVERALL LENGTH: 25FT8IN)
- EXTENDED BUMPER 2.5" FRONT DISCHARGE - IF FRONT MONITOR IS SELECTED
- CHANGE PUMP TO HALE MBP 750 GPM - 3 DISCHARGES REQUIRED
- CHANGE PUMP TO HALE APS 500 GPM - 2 DISCHARGES REQUIRED
- CHANGE PUMP TO HALE DSD 1250 GPM - 5 DISCHARGUES REQUIRED
- AKRON FORESTRY 3462
- ELKHART BRASS BRUSHHAWK 8495
- NON US STANDARD THREADS
- DUMP VALVE SWIVEL AND CHUTE
- EXTRA 2 1/2" DIRECT TANK FILL VALVE
- GROUND SWEEPS TIRE PROTECTION
- GROUND SWEEPS ATTACK ONLY (2 NOZZLE UNDERNEATH FRONT BUMPER)
- GROUND SWEEPS FULL PACKAGE (160-0112 + 160-0112 OPTIONS)
- HOSE REEL 1"X100FT - HANNAY REEL
- ALUMINUM HOSE BED DIVIDER
- CHANGE ROLL UP DOORS FROM HANSEN TO ROM - FINISH: BRUSHED
- ROLL UP DOOR COLOR CHANGE AVAILABLE
- EXTRA SPEEDLAYS TRAY - SET OF 2
- COMPARTMENT PAC STANDARD TOOL BOARD
- COMPARTMENT PAC STANDARD SHELVES
- COMPARTMENT STANDARD SWINGOUT BOARD.
- FOLDATANK 2000GAL
- 10FT HARD SUCTION HOSE
- SAFELINK® S-VISION™ LCDS SCREEN - 7"
- FLEXIBLE CONSOLE MAP LIGHT
- TRAFFIC ADVISOR: WECANX® 2250 SUPER-LED® BUILD-A-BAR™ SERIES: MODEL: WX2240. 42" LONG
- OPTICOM - OPTICOM® INFRARED SYSTEM
- FEDERAL SIGNAL Q2B ELECTRO-MECHANICAL SIREN
- BROW LIGHT 81"
- LIGHTING PROTECTION GUARD KIT
- MAXVISION WATER TANK LEVEL DISPLAY WLA280-A00 ON BOTH SIDES + REAR
- INVERTER KUSSMAUL 817-1000WATTS. POWER TO CONSOLE / ADITIONAL LOCATIONS AVAILABLE
- UL PUMP TEST